


分组框

本机移动页面不支持分组框小组件。

1 简介

分组框可用于直观地将相关小组件分组在一起。分组框以框架形式显示在带可选标头的嵌套小组件周围。分组框可配置为动态折叠和展开状态。



The screenshot shows a web form titled "Customer Details". At the top, there is a header bar with the text "[Customer, page parameter]". Below this, the form is organized into a grouped section. It contains three input fields: "Name" with a placeholder "[Name]", "Address" with a placeholder "[Address]", and "Email" with a placeholder "[Email]". At the bottom of the grouped section, there are two buttons: a green "Save" button and a grey "Cancel" button.

2 属性

分组框属性的示例如下图所示：

The screenshot shows the 'Properties' window for a 'Group box 'groupBox1''. The window is divided into several sections:

- Common**: Name (groupBox1), Class, Style.
- Design Properties**: Spacing top, Spacing bottom, Spacing left, Spacing right, Align self, Hide on phone (No), Hide on tablet (No), Hide on desktop (No), Style, Callout style (No), Resulting classes.
- General**: Show header (Yes), Caption (Group box), Collapsible (Yes (start collapsed)).
- Visibility**: Visible (Default).

At the bottom, there are tabs for 'Properties' and 'Toolbox'.

分组框属性包含以下部分：

- 通用
- 设计属性
- 常规
- 可见性

2.1 通用部分

有关该部分中属性的详细信息，请参见“页面编辑器”的“通用属性”中的“通用部分”。

2.2 设计属性部分

页面编辑器中显示的页面大小可通过两个属性进行控制。

画布宽度

这会在页面编辑器中定义页面的宽度（以像素为单位）。

默认值：800

画布高度

这会在页面编辑器中定义页面的首选最小高度（以像素为单位）。

默认值：600

这些属性只更改编辑器中显示的内容，对实际应用没有影响。

2.3 常规部分

2.3.1 显示标头

显示标头定义是否在分组框上方显示标头。

默认值：*True*

2.3.2 说明文字

该属性仅在启用**显示标头**选项时显示。可定义标头中显示的说明文字。

默认值：*分组框*

2.3.3 可折叠

该属性指定是否可以通过单击标头来折叠分组框，如果可以，则指定该分组框显示为折叠还是展开。该属性仅在启用**显示标头**时显示。

该属性的可能值如下：

- **是（开始为展开状态）**（默认） - 分组框内的元素最初将显示，当用户单击标头中的减号图标时可折叠
- **是（开始为折叠状态）** - 分组框内的元素最初将隐藏，当用户单击标头中的加号图标时可展开
- **否** - 分组框元素始终显示，且不能折叠分组框

2.4 可见性部分

可见性决定小组件是否包含在向最终用户显示的页面内。